

Cam Action Indexing Plungers - Overview of Types


Unlocking by Turning the Plunger over Curves

GN 612

GN 612 ... NI

see page 820

Ø 4 / 5 / 6 / 8 / 10 / 12




Features:

- Guide steel, blackened or stainless steel
- Plunger pin steel, nitrided resp. stainless steel
- Latch steel, blackened resp. stainless steel
- Latch with or without plastic cover
- High precision plunger pin guide

GN 612.8

see page 825

Ø 4 / 5 / 6 / 8 / 10 / 12




Features:

- Guide zinc die casting with nano®-coating
- Plunger pin steel, zinc plated
- Latch plastic
- Reasonably priced versions

PMT.200

see page 822

Ø 4 / 5 / 6 / 8 / 10 / 12



Features:


- SUPER-technopolymer threaded body and lever. Lightness and high mechanical strength
- Steel (hardened) or Stainless Steel plunger pin
- Anticorrosive material: suitable even in the presence of liquid or humidity
- Low friction factor to the plunger stroke; no lubricating maintenance is required
- Resistant to several cleaning cycles with solvents and other chemical agents

GN 712

see page 823

Ø 6 / 8 / 10

Plunger pin in standard position protruded



Features:


- Plunger in end positions locked, not locked or arrested and additionally locked (safety version)
- Guide steel, zinc plated
- Plunger pin stainless steel
- Latch plastic

GN 712.1

see page 824

Ø 6 / 8 / 10


Plunger pin in standard position retracted



GN 612.2

see page 830

Ø 6 / 8 / 10 / 12



Features:

- Guide steel, blackened
- Plunger pin steel, nitrided
- Latch steel, blackened
- Latch with or without plastic cover



8


Indexing elements

Cam Action Indexing Plungers - Overview of Types

Unlocking by Turning the Plunger over Curves

GN 612.9

see page 831
Ø 6 / 8 / 10 / 12




Features:

- Guide, zinc die casting, black powder coated
- Plunger pin steel, zinc plated
- Latch plastic
- Reasonably priced versions

GN 722.3

see page 832
Ø 8 / 10 / 12 / 14




Features:

- Guide steel (precision casting), zinc plated or black powder coated or stainless steel precision casting
- Plunger pin steel, zinc plated or stainless steel
- Latch steel, zinc plated or stainless steel precision casting
- Left or right indexing cam
- Designed for use in „steel construction“ or in „locksmith shops“ i.e. for less precise positioning

GN 722.2

see page 834
Ø 8 / 10 / 12 / 14




Features:

- Guide steel (precision casting), zinc plated or black powder coated or stainless steel precision casting
- Plunger pin steel, zinc plated or stainless steel
- Latch steel, zinc plated or stainless steel precision casting
- Latch position right-angled or parallel to fixing holes
- Designed for use in „steel construction“ or in „locksmith shops“ i.e. for less precise positioning

GN 612.10

see page 836
Ø 6 / 8 / 10 / 12




Features:

- Guide, zinc die casting, black powder coated
- Plunger pin steel, zinc plated
- Latch plastic
- Reasonably priced versions

GN 612.3

GN 612.3 ... NI
see page 830
Ø 6 / 8 / 10 / 12



Features:

- Cam action indexing plunger for welding
- Guide steel, blackened or stainless steel
- Plunger pin steel, nitrided or stainless steel
- Latch with or without plastic cover

Cam Action Indexing Plungers - Overview of Types


Unlocking by Turning the Plunger over Curves

GN 722.1 ... ST

GN 722.1 ... A4

see page 838

Ø 8 / 10 / 12 / 14



Features:

- Cam action indexing plunger for welding
- Guide steel precision casting, blackened or stainless steel precision casting
- Plunger pin steel, zinc plated or stainless steel
- Latch steel precision casting, blackened or stainless steel precision casting
- Designed for use in „steel construction“ or in „locksmith shops“ i.e. for less precise positioning


GN 721

GN 721.5

see page 826

Ø 5 / 6 / 8 / 10

Without locking function



Features:

- Guide steel, blackened or stainless steel
- Plunger pin steel, hardened resp. stainless steel
- Latch steel, blackened resp. stainless steel
- Right- or left- hand lock
- Latch with or without plastic cover
- High precision plunger pin guide


GN 721.1

GN 721.6

see page 828

Ø 5 / 6 / 8 / 10

With locking function



Features:

- Guide steel, blackened or stainless steel
- Plunger pin steel, hardened resp. stainless steel
- Latch steel, blackened resp. stainless steel
- Right- or left- hand lock
- Latch with or without plastic cover
- High precision plunger pin guide



8

Indexing elements